



Jago 匠光

906 吸顶射灯

Ceiling Mounted spot light technical data sheet


906 匠光线形吸顶灯为简约式LED灯具，采用优质铝合金型材灯体，无螺丝压铸铝端盖，表面细沙氧化，阻燃PC透镜+阻燃PC防眩罩，灯具线条硬朗美观、外观尺寸比例科学，结构合理，安装维护方便灵活。灯具结合TIR控光技术，实现精准控制与高效率传递的统一，软开关技术体验耐贝西曲线舒缓而渐入佳境。先进的热管理技术，散热优异，确保了灯具最大光输出的持续性及色温的一致性。

应用场所：写字楼、学校、医院、高档超市、商场、酒店等公共建筑。

906 series ceiling surface mounted linear LED luminaire, housing made of high pressure extruded aluminum construction, die-cast aluminum end caps with no visible screws, Surface treatment is the sand oxidation and Flame retardant PC lens + flame retardant PC anti-glare cover, UV and corrosion resistance, with beautiful appearance, the scientific proportion and reasonable dimensions, flexible installing methods, light body, excellent heat dissipation. The luminaire adopted TIR optic-control technology, achieve unification between precise control and high efficiency. Getting better with the "Lumbency curve" that brought by unique soft switch technology. Advanced thermal management technology to ensure consistency of LED life span, color temperature and maximize output lumens.

Applications: Office, Educational Institutes, Hospitals, Warehouses, Hospitality, Retails Etc.

产品细节 Details






规格参数 Technical Data

名称: 906 吸顶射灯
 类型: 吸顶射灯
 灯体材料: 优质铝合金
 表面处理: 细沙氧化(银色/褐灰色/哑光黑)
 哑光粉末喷涂(哑光白)
 控光面罩: 阻燃PC透镜+阻燃PC防眩罩
 光源: SMD
 整灯光效: 80 lm/W
 显色指数: >90
 色温: 3000K / 4000K / 6500K
 输入电压: 220V / 50Hz
 驱动电源: 高转换率驱动电源
 灯具寿命: 3万小时
 电气等级: II


Product name: 906 Ceiling Spot light
 Type: Ceiling Spot light
 Housing material: High-quality Aluminum alloy
 Surface finish: Fine sand oxidation (silver/brown gray/black)
 Matte powder coating (matte white)
 Diffuser material: Flame retardant PC lens + flame retardant PC anti-glare cover
 Light source: SMD
 Luminaire efficiency: 80 lm/W
 CRI: >90
 Color temperature: 3000K / 4000K / 6500K
 Input voltage: 220V / 50Hz
 Driver: High efficiency driver
 Lifespan: 30000h
 Electrical grade: II




标准灯具 Standard single fitting




Item No	Power Flux	Beam angle	L*W*H
906-CM65T3W	3W / 240 lm	12°	65*40*40






Item No	Power Flux	Beam angle	L*W*H
906-CM65T3W	3W / 260 lm	12°	65*40*40






Item No	Power Flux	Beam angle	L*W*H
906-CM65T3W	3W / 240 lm	36°	65*40*40




Item No	Power Flux	Beam angle	L*W*H
906-CM65T3W	3W / 260 lm	36°	65*40*40




Item No	Power Flux	Beam angle	L*W*H
906-CM65T3W	3W / 280 lm	12°	65*40*40






Item No	Power Flux	Beam angle	L*W*H
906-CM65T3W	3W / 280 lm	36°	65*40*40




Item No	Power Flux	Beam angle	L*W*H
906-CM65T3W	3W / 240 lm	24°	65*40*40




Item No	Power Flux	Beam angle	L*W*H
906-CM65T3W	3W / 260 lm	24°	65*40*40




Item No	Power Flux	Beam angle	L*W*H
906-CM88T10W	10W / 800 lm	12°	88*34*107



Item No	Power Flux	Beam angle	L*W*H
906-CM88T10W	10W / 820 lm	12°	88*34*107





Item No	Power Flux	Beam angle	L*W*H
906-CM65T3W	3W / 280 lm	24°	65*40*40






Item No	Power Flux	Beam angle	L*W*H
906-CM88T10W	10W / 840 lm	12°	88*34*107


标准灯具 Standard single fitting




Item No	Power Flux	Beam angle	L*W*H
906-CM88T10W	10W / 800 lm	24°	88*34*107






Item No	Power Flux	Beam angle	L*W*H
906-CM88T10W	10W / 820 lm	24°	88*34*107




Item No	Power Flux	Beam angle	L*W*H
906-CM88T10W	10W / 840 lm	24°	88*34*107



Item No	Power Flux	Beam angle	L*W*H
906-CM88T10W	10W / 800 lm	36°	88*34*107






Item No	Power Flux	Beam angle	L*W*H
906-CM88T10W	10W / 820 lm	36°	88*34*107






Item No	Power Flux	Beam angle	L*W*H
906-CM88T10W	10W / 840 lm	36°	88*34*107


标准灯具 Standard single fitting




Item No	Power Flux	Beam angle	L*W*H
906-CM166T20W	20W / 1600 lm	12°	166*34*121






Item No	Power Flux	Beam angle	L*W*H
906-CM166T20W	20W / 1620 lm	12°	166*34*121




Item No	Power Flux	Beam angle	L*W*H
906-CM166T20W	20W / 1640 lm	12°	166*34*121



Item No	Power Flux	Beam angle	L*W*H
906-CM166T20W	20W / 1600 lm	24°	166*34*121





Item No	Power Flux	Beam angle	L*W*H
906-CM166T20W	20W / 1620 lm	24°	166*34*121






Item No	Power Flux	Beam angle	L*W*H
906-CM166T20W	20W / 1640 lm	24°	166*34*121

标准灯具 Standard single fitting




吸顶射灯
(Ceiling Mounted Spot light)
CCT: 3000K
Colors: Silver / White
Brown gray / Black

Item No	Power Flux	Beam angle	L*W*H
906-CM166T20W	20W / 1600 lm	36°	166*34*121



吸顶射灯
(Ceiling Mounted Spot light)
CCT: 6500K
Colors: Silver / White
Brown gray / Black



Item No	Power Flux	Beam angle	L*W*H
906-CM166T20W	20W / 1640 lm	36°	166*34*121



吸顶射灯
(Ceiling Mounted Spot light)
CCT: 4000K
Colors: Silver / White
Brown gray / Black




Item No	Power Flux	Beam angle	L*W*H
906-CM166T20W	20W / 1620 lm	36°	166*34*121

标准灯具 Standard single fitting




吸顶射灯
(Ceiling Mounted Spot light)
CCT: 3000K
Colors: Silver / White
Brown gray / Black

Item No	Power Flux	Beam angle	L*W*H
906-CM247T30W	30W / 2400 lm	24°	247*34*138




吸顶射灯
(Ceiling Mounted Spot light)
CCT: 6500K
Colors: Silver / White
Brown gray / Black

Item No	Power Flux	Beam angle	L*W*H
906-CM247T30W	30W / 2440 lm	24°	247*34*138






吸顶射灯
(Ceiling Mounted Spot light)
CCT: 4000K
Colors: Silver / White
Brown gray / Black

Item No	Power Flux	Beam angle	L*W*H
906-CM247T30W	30W / 2420 lm	24°	247*34*138




吸顶射灯
(Ceiling Mounted Spot light)
CCT: 3000K
Colors: Silver / White
Brown gray / Black

Item No	Power Flux	Beam angle	L*W*H
906-CM247T30W	30W / 2400 lm	12°	247*34*138




吸顶射灯
(Ceiling Mounted Spot light)
CCT: 6500K
Colors: Silver / White
Brown gray / Black

Item No	Power Flux	Beam angle	L*W*H
906-CM247T30W	30W / 2440 lm	12°	247*34*138






吸顶射灯
(Ceiling Mounted Spot light)
CCT: 4000K
Colors: Silver / White
Brown gray / Black

Item No	Power Flux	Beam angle	L*W*H
906-CM247T30W	30W / 2420 lm	12°	247*34*138




吸顶射灯
(Ceiling Mounted Spot light)
CCT: 3000K
Colors: Silver / White
Brown gray / Black

Item No	Power Flux	Beam angle	L*W*H
906-CM247T30W	30W / 2400 lm	36°	247*34*138



吸顶射灯
(Ceiling Mounted Spot light)
CCT: 6500K
Colors: Silver / White
Brown gray / Black

Item No	Power Flux	Beam angle	L*W*H
906-CM247T30W	30W / 2440 lm	36°	247*34*138



吸顶射灯
(Ceiling Mounted Spot light)
CCT: 4000K
Colors: Silver / White
Brown gray / Black

Item No	Power Flux	Beam angle	L*W*H
906-CM247T30W	30W / 2420 lm	36°	247*34*138